



Life
Course
Centre

WORKING
PAPER
SERIES

No. 2024-08

April 2024

Understanding variations in the built environment over time to inform longitudinal studies of young children's physical activity behaviour

The BEACHES Project

Trina Robinson

Bryan Boruff

John Duncan

Kevin Murray

Jasper Schipperijn

Andrea Nathan

Ben Beck

Gareth Stratton

Lucy Griffiths

Richard Fry

Hayley Christian

The Australian Research Council Centre of Excellence
for Children and Families over the Life Course
Phone +61 7 3346 7477 Email lcc@uq.edu.au
lifecoursecentre.org.au



Australian Government
Australian Research Council



THE UNIVERSITY
OF QUEENSLAND
AUSTRALIA



THE UNIVERSITY OF
SYDNEY



THE UNIVERSITY OF
WESTERN
AUSTRALIA



THE UNIVERSITY OF
MELBOURNE

Research Summary

Why was the research done?

Research has found that well-connected neighbourhoods with access to shops, services, and recreational areas are associated with increased physical activity in adults. However, relatively little is known about the role of the neighbourhood built environment on young children's physical activity. This study used data from the Play Spaces and Environments for Children's Physical Activity (PLAYCE) cohort study to identify changes over time to the built environment of 1,534 children from the Perth metropolitan area, Western Australia. Traffic exposure, street connectivity, access to public transport, residential density, and neighbourhood vegetation, were collected at three timepoints over eight years (2015-2023) when children were aged between two and ten years old. The findings will inform the analysis approach of subsequent research in the Built Environments and Child Health in Wales and Australia (BEACHES) Project, an international study examining the role of the built environment on child physical activity and obesity using multiple cohorts, one of which is the PLAYCE cohort study. A key aim of BEACHES is to determine if differences in physical activity and obesity between advantaged and disadvantaged neighbourhoods can be explained in part by differences in built environment attributes.

What were the key findings?

Modest changes to the neighbourhood built environment were identified over the course of the study both for young children who stayed in the same neighbourhood and those who moved to another neighbourhood. For children who did not move house between timepoints, there were small increases in residential density, intersection density, public transport stops, and vegetation. Children who moved house were exposed to less public transport stops and lower residential density in their new neighbourhoods. While these changes were statistically significant, they did not represent practically important differences. For example, an increase of one or two intersections in a child's neighbourhood would not realistically have an impact on its walkability and the physical activity behaviours of its residents.

Importantly, we also examined differences in built environment attributes depending on the socio-economic status of the neighbourhood and found that the most socio-economically disadvantaged neighbourhoods had greater exposure to traffic, lower intersection density, more

public transport stops, and higher residential density, while the least disadvantaged neighbourhoods had the most vegetation.

What does this mean for policy and practice?

To better inform planning policy and practice, longitudinal research is needed to understand how the built environment influences physical activity across early childhood. However, researchers firstly need to understand how the built environment changes over time. The study found that while there were statistically significant differences in built environment attributes between timepoints and across socio-economic status, they did not represent practically significant differences. Future studies should consider stratifying by neighbourhood SES, rather than control for it, to better understand the complex relationship between the built environment and physical activity.

Citation

Robinson, T., Boruff, B., Duncan, J., Murray, K. Schipperijn, J., Nathan, A., Beck, B., Stratton, G., Griffiths, L., Fry, R., & Christian, H. (2024). 'Understanding variations in the built environment over time to inform longitudinal studies of young children's physical activity behaviour - The BEACHES Project', Life Course Centre Working Paper Series, 2024-08. Institute for Social Science Research, The University of Queensland.

The authors

Trina Robinson

Telethon Kids Institute

Email: trina.robinson@telethonkids.org.au

<https://www.telethonkids.org.au/contact-us/our-people/r/trina-robinson/>

Bryan Boruff

School of Agriculture and Environment, The University of WA

Email: bryan.boruff@uwa.edu.au

<https://research-repository.uwa.edu.au/en/persons/bryan-boruff>

John Duncan

School of Agriculture and Environment, The University of WA

Email: john.duncan@uwa.edu.au

<https://research-repository.uwa.edu.au/en/persons/john-duncan>

Kevin Murray

School of Population and Global Health, The University of WA

Email: kevin.murray@uwa.edu.au

<https://research-repository.uwa.edu.au/en/persons/kevin-murray>

Jasper Schipperijn

Department of Sports Science and Clinical Biomechanics, University of Southern Denmark

Email: jschipperijn@health.sdu.dk

<https://portal.findresearcher.sdu.dk/en/persons/jsc>

Andrea Nathan

Telethon Kids Institute; School of Population and Global Health, The University of Western Australia

Email: andrea.nathan@telethonkids.org.au

<https://www.telethonkids.org.au/contact-us/our-people/n/andrea-nathan>

Ben Beck

School of Public Health and Preventive Medicine, Monash University

Email: ben.beck@monash.edu

<https://research.monash.edu/en/persons/ben-beck>

Gareth Stratton

Research Centre in Applied Sports, Technology, Exercise and Medicine (A-STEM), Swansea University

Email: G.Stratton@Swansea.ac.uk

<https://www.swansea.ac.uk/staff/g.stratton/>

Lucy Griffiths

Population Data Science, Swansea University Medical School

Email: Lucy.Griffiths@Swansea.ac.uk

<https://www.swansea.ac.uk/staff/lucy.griffiths/>

Richard Fry

Population Data Science, Swansea University Medical School

Email: R.J.Fry@Swansea.ac.uk

<https://www.swansea.ac.uk/staff/r.j.fry/>

Hayley Christian

School of Population and Global Health, The University of WA

Email: <mailto:hayley.christian@uwa.edu.au>

<https://research-repository.uwa.edu.au/en/persons/hayley-christian>

Acknowledgements/Funding Sources

This work is part of the BEACHES Project which is a joint initiative between Telethon Kids Institute, the University of Western Australia and Swansea University. The BEACHES Project is funded by the UKRI-NHMRC Built Environment Prevention Research Scheme (GNT1192764 and MR/T039329/1) and partially supported by the Australian Government through the Australian Research Council's Centre of Excellence for Children and Families over the Life Course (CE200100025). The PLAYCE cohort study was funded by the Western Australian Health Promotion Foundation (Healthway 24219 and 32018; and part-funded by UKRI-NHMRC Built Environment Prevention Research Scheme (GNT1192764 and MR/T039329/1). Hayley Christian is supported by a National Heart Foundation Future Leader Fellowship (102549). Ben Beck is supported by an Australian Research Council Future Fellowship (FT210100183).

The BEACHES Project is a joint initiative between the Telethon Kids Institute, The University of Western Australia, and Swansea University, with collaborators from Curtin University, Monash University, The Queensland University of Technology, University of Southern Denmark, WA Department of Local Government, Sports and Cultural Industries, WA Department of Health, WA

Department of Transport, WA Local Government Association, Australian Childcare Alliance, Nature Play Australia, Heart Foundation, The PLAY Spaces and Environments for Children's Physical Activity (PLAYCE) cohort study, Cancer Council WA, Goodstart Early Learning, and Hames Sharley.

The PLAYCE cohort study research team would like to thank our project team members who collected and prepared the data, participating ECEC services and research partners: the National Heart Foundation, Western Australian (WA) Department of Health, WA Department of Local Government, Sport and Cultural Industries, WA Local Government Association, Australian Childcare Alliance (WA), UWA Childcare, Nature Play WA, Goodstart Early Learning, Maragon Early Learning, Sonas Early Learning & Care, Mercy Care, Great Beginnings Early Education, Jellybeans Child Care & Kindy, Buggles Early Learning and Kindy and ArborCarbon who provided in-kind support. We thank the families who participated in the PLAYCE cohort study for their time and commitment. The authors would like to formally acknowledge Nearmap for preparing data and providing technical and best practice support under a Research License for Nearmap AI vegetation content.

DISCLAIMER: The content of this Working Paper does not necessarily reflect the views and opinions of the Life Course Centre. Responsibility for any information and views expressed in this Working Paper lies entirely with the author(s).

This work is licensed under a [Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License](https://creativecommons.org/licenses/by-nc-nd/4.0/).



**Understanding variations in the built environment over time to inform longitudinal studies of
young children's physical activity behaviour - The BEACHES Project**

ABSTRACT

We know relatively little about the role the neighbourhood built environment plays in promoting young children's physical activity, particularly its longitudinal effect either through repeated exposure to the same environment or through change in exposure by moving from one neighbourhood to another. This study characterised the neighbourhood environment of young children in the PLAYCE cohort study over three timepoints from 2015-2023. There were statistically significant differences in built environment attributes between timepoints and across socio-economic status, however they did not represent practically significant differences. These findings inform the analysis approach of subsequent research in the BEACHES Project, an international study examining the role of the built environment on child physical activity and obesity using multiple cohorts.

INTRODUCTION

Being physically active in childhood is beneficial for maintaining a healthy weight, strengthening bone and skeletal health, and promoting motor, cognitive, and social-emotional development (Carson et al., 2017; Christian et al., 2021). Establishing positive physical activity behaviours early in life have been shown to track into adolescence and adulthood (Jones et al., 2013; Malina, 1996). A growing body of evidence has found that well-connected, safe neighbourhoods with access to shops, services, and recreational areas is associated with increased physical activity in adults (Christian et al., 2011; Christian et al., 2017; Foster et al., 2013), however relatively little is known about the role of the built environment on young (under the age of five) children's physical activity.

Longitudinal studies are needed to determine the causal role of the neighbourhood built environment on children's health behaviours such as physical activity (Jia et al., 2021; Daniels et al., 2021; Pedrick-Case et al., 2022). Yet, overall, there is a lack of evidence of the longitudinal effect of the built environment on children's physical activity, either through repeated exposure to the same built environment or through change in exposure to the built environment by moving from one neighbourhood to another (Daniels et al., 2021; Buck et al., 2019). There is some longitudinal evidence that moving to a more walkable neighbourhood results in increased transport related (Knuiman et al., 2014) and overall physical activity in adults (Clary et al., 2020). In one of the few longitudinal studies conducted in children, 2,488 children and adolescents (3-15 years) from three countries (Germany, Italy and Sweden) had objective measures of neighbourhood residential density, land use mix, intersection density, public transit and public open spaces measured three times over six years (Buck et al., 2019). The study found that more walkable neighbourhoods were consistently positively associated with moderate-vigorous physical activity (MVPA) in girls and a smaller decline in boys' light physical activity. The impact of residential relocation was not measured as only participants who remained in the same neighbourhood for the duration of the study were included.

To our knowledge, no studies have examined to what degree: i) the built environment changes over time for children who do not move house ('stayers'); ii) children's exposure to the built environment changes when they move house ('movers'), and iii) changes to the neighbourhood built environment ('movers') or repeated exposure to the same built environment ('stayers') are longitudinally associated with changes in young children's physical activity behaviour. Such findings would provide important information to guide studies of the longitudinal effect of the built environment on children's physical activity and other health outcomes. For example, if between two timepoints children do not move

house and the built environment does not change it would only be necessary to create spatial built environment variables for the first time point, saving considerable research resources.

An important consideration in unpacking the role of the changing neighbourhood built environment on young children's physical activity is the influence of socio-economic status (SES). A study investigating the socio-economic disparity in the built environment of 21 Australian cities by measuring liveability factors such as access to shops and services, dwelling density, street connectivity and access to public transport, found that more disadvantaged areas in larger cities had lower liveability scores than less disadvantaged areas (Giles-Corti et al., 2022). Efforts to improve the built environment may increase health inequity as more advantaged neighbourhoods have the economic and political influence to create environments which are more supportive of population health (Schultz and Northridge 2004). For example, Hirsch et al. (2016) examined the socio-demographic characteristics of neighbourhoods experiencing improvements in walkability (e.g., land use mix, number of walkable destinations) in seven US cities and found evidence of greater improvement in more socio-economically advantaged areas. Further, Leng et al. (2023) found that more developed countries in the global north have had a steady growth of urban tree cover over the past two decades, helping to create more liveable neighbourhoods, which were driven by sustainable urbanisation trends and urban renewal efforts. This contrasts with declining urban tree cover trends in the less developed global south (Leng et al., 2023). To inform future studies, further research is needed to understand the interplay between the built environment and neighbourhood disadvantage.

This study examined longitudinal change in the built environment and the association between the built environment and neighbourhood disadvantage to inform future studies of the causal relationship between young children's exposure to their neighbourhood environment and their physical activity behaviour. The findings will help to inform the statistical analysis of subsequent research as part of the Built Environments and Child Health in Wales and Australian (BEACHES) Project, an international study examining the role of the built environment on child physical activity and obesity using multiple cohorts (Pedrick-Case et al., 2022). The first aim of this investigation was to describe changes in young children's neighbourhood built environments across three timepoints over eight years (2015-2023) for both 'stayers' and 'movers' using data from a BEACHES Project cohort - the PLAYCE cohort study (Christian et al., 2016). The second aim was to identify whether the attributes of young children's neighbourhood built environments differed depending on the SES of the neighbourhood.

METHODS

Sample

The Play Spaces and Environments for Children's Physical Activity (PLAYCE) study cohort were recruited from early childhood education and care services across the Perth metropolitan area in Western Australia. Data were collected for children over three timepoints; timepoint 1 (2015-18) when children were aged 2-5 years, timepoint 2 (2018-21) when children were aged 5-7 years and timepoint 3 (2022-23) when children were aged 7-9 years. Full details of the PLAYCE study methods have been published (Christian et al., 2016). One hundred and nine children were excluded from the current study as they were a twin or triplet with the same residential address as a participant, leaving a final sample of 1,534 children.

Built environment data

Home addresses of study participants were geocoded at each timepoint. At timepoints 2 and 3, children who had not moved house since the previous timepoint were identified as 'stayers' and those who moved house were identified as 'movers'.

Table 1 describes measures of the built environment within a 500m and 1600m road network service area from each child's home which were developed using ArcGIS 10.8.2 and ArcPro 3.2.0 geospatial software. These service areas represent a walkable distance for adults and were chosen as young children's movements around the neighbourhood are dependent on their parents (Bell et al., 2020).

Built environment variables were temporally matched to the three timepoints of the PLAYCE cohort study. For the current study, six built environment attributes (traffic exposure, intersection density, one-way nodes, public transport, residential density, and vegetation) were calculated and compared across three timepoints for children in the PLAYCE cohort study. Vegetation (tree cover) was based on medium and high vegetation classes in Nearmap AI's raster and vector products and segmented from high resolution aerial imagery using a proprietary semantic segmentation model (Nearmap, 2021). All other built environment variables were based on existing standardised measures (Christian et al., 2017; Villaneuva et al., 2013) and selected as they have been shown in previous studies to be associated with older children's physical activity levels (Buck et al., 2019; Daniels et al., 2021; Jia et al., 2021) and are more likely to be amenable to change over time.

Table 1: Description of built environment variables

BE attribute	Measure¹	Data source¹
Low road traffic exposure	Proxy measure for traffic exposure measured by calculating the percentage of total length of roads within the participant's service area which are not main roads, i.e. access roads with a maximum volume of 3000 vehicles per day in built-up areas	Road network data from the Western Australian Land Information Authority (Landgate) and Functional Road Hierarchy Information from Main Roads Western Australia
Street connectivity - Intersection density	Count of three-way (or more) intersections divided by the area (km ²) of the participant's service area	Road network data from the Western Australian Land Information Authority (Landgate)
Street connectivity – One way nodes	Count of one-way nodes (cul-de-sacs) within the participant's service area	Road network data from the Western Australian Land Information Authority (Landgate)
Public transport stops	Number of standard public transport stops (bus, rail) within the participant's service area	Western Australian Public Transport Authority
Residential density (gross)	Number of residential dwellings per hectare of total land use area within the participant's service area	Australian Bureau of Statistics mesh block-derived
Vegetation	Percent of tree cover within the participant's service area	Tree cover segmented from aerial imagery (Nearmap AI)

¹ Existing standardised built environment measures (Christian et al., 2017; Duncan & Boruff, 2023; Nearmap, 2021; Villaneuva et al., 2013)

Neighbourhood socio-economic status (SES)

Postcode-level data from the 2016 Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socio-economic Disadvantage (IRSD) (ABS, 2021) was used to determine neighbourhood SES. The IRSD is calculated using a weighted combination of disadvantage variables including low income, low educational attainment, high unemployment, long-term health condition or disability, and one-parent families (ABS, 2021). The ABS assign a score between 1 and 100 to each postcode, where low scores signify lower socio-economic status. Scores are then divided into deciles. For the purposes of this study, each participant's residential postcode IRSD at T1 was further allocated a SES quintile.

Statistical analyses

Descriptive statistics of built environment attributes were calculated at timepoints 1 (T1), 2 (T2) and 3 (T3) for children who moved house (movers) and did not move house (stayers) between timepoints.

Relative change was calculated for variables between timepoints and paired t-tests were performed to determine if there were significant mean differences in built environment variables for stayers and movers between timepoints 1 and 2, and stayers and movers between timepoints 1 and 3.

The T1 sample was stratified by neighbourhood SES into quintiles. Due to unequal variances and sample sizes between quintiles, Welch's ANOVA was conducted to determine if there was an overall difference in built environment variables between quintiles. Games-Howell post hoc tests determined which quintiles were significantly different to the reference category (quintile 5).

RESULTS

At T1, just over half (52.3%) of the sample were boys with an average age of 3.32 years.

Of the 174 children who moved house between T1 and T2, almost half (48.3%) moved within 5km of their previous address. Of the 225 children who moved house between T1 and T3, 122 children (54.2%) moved within 5km of their previous address. The residential addresses of the sample at T1 were mapped by postcode level socio-economic status (Figure 1).




Figure 1: Residential address by postcode level SES quintiles at timepoint 1

Change to built environment attributes for stayers and movers at T2 and T3

For stayers, there were significant increases in intersection density within 500m (3.6%; $p < 0.001$) and 1600m service areas (4.6%; $p < 0.001$), residential density at 500m (5.6%; $p < 0.001$) and 1600m service areas (6.0%; $p < 0.001$), one-way nodes at 1600m service area (3.8%; $p < 0.001$), and vegetation cover at 500m (4.43%; $p < 0.001$) and 1600m service areas (4.14%; $p < 0.001$) between timepoints 1 and 2 (Table 2). While these increases were statistically significant, they did not represent a practically significant difference. For example, 0.5 more residential dwellings per hectare would not lead to any noticeable impact on residential density.

Between timepoints 1 and 3, significant increases in intersection density at 500m (2.8%; $p=0.001$) and 1600m (1.8%; $p= <0.001$) were also identified for stayers, as were increases in one-way nodes at 500m (4.6%; $p= <0.001$) and 1600m (1.8%; $p= <0.001$), public transport stops at 500m (5.6%; $p=0.009$) and 1600m (4.0%; $p=<0.001$), residential density at 500m (5.4%; $p=<0.001$) and 1600m (5.5%; $p=<0.001$). Again, while statistically significant, these differences were not practically significant.

There were a fewer number of significant changes to the built environment for 'movers'. Between timepoints 1 and 2, residential density significantly decreased by 9.2% ($p=0.049$) at 500m and vegetation increased by 9.1% at the 1600m service area ($p=0.040$) (Table 3). Public transport stops at the 500m service areas decreased by 15.6% ($p=0.027$) between timepoints 1 and 3 and residential density decreased by 8.8% ($p=0.024$) at 500m and 6.8% ($p=0.021$) at the 1600m service area.

Table 2: Change in built environment attributes for stayers at T2 and T3

Built environment measure	T1 n=469	T2 n=469	T1-T2			T1 n=323	T3 n=323	T1-T3		
	Mean (SD)	Mean (SD)	Difference (SE)	Percentage Difference	<i>p</i>	Mean (SD)	Mean (SD)	Difference (SE)	Percentage Difference	<i>p</i>
500m service area										
Low road traffic exposure ¹	77.09 (17.70)	77.11 (17.47)	0.02 (0.22)	0.02%	0.908	77.08 (17.97)	76.57 (17.75)	-0.51 (0.07)	-0.66%	0.143
Intersection density ²	78.00 (35.76)	80.77 (37.80)	2.77 (0.42)	3.55%	<0.001	77.08 (35.53)	79.98 (37.06)	2.15 (0.54)	2.79%	<0.001
One-way nodes ³	2.66 (2.52)	2.62 (2.49)	-0.04 (0.05)	-1.50%	0.459	2.62 (2.58)	2.61 (2.52)	-0.01 (0.06)	-0.38%	0.802
Public transport ⁴	3.70 (3.31)	3.75 (3.26)	0.05 (0.05)	1.35%	0.336	3.60 (3.36)	3.80 (3.29)	0.20 (0.07)	5.56%	0.009
Residential density ⁵	9.41 (4.63)	9.94 (5.25)	0.53 (0.06)	5.63%	<0.001	9.53 (5.77)	10.04 (6.44)	0.51 (0.07)	5.35%	<0.001
Vegetation ⁶	14.23 (8.34)	14.86 (8.25)	0.63 (0.10)	4.43%	<0.001	13.82 (8.18)	13.97 (7.22)	0.15 (0.14)	1.08%	0.304
1600m service area										
Low road traffic exposure ¹	69.39 (10.97)	69.36 (10.68)	-0.03 (0.10)	-0.04%	0.691	69.49 (10.99)	69.13 (10.57)	-0.36 (0.15)	-0.52%	0.017
Intersection density ²	68.63 (25.99)	71.77 (27.49)	3.14 (0.25)	4.58%	<0.001	68.68 (26.44)	69.93 (27.68)	1.25 (0.35)	1.82%	<0.001
One-way nodes ³	33.18 (16.78)	34.43 (17.41)	1.25 (0.22)	3.77%	<0.001	33.26 (17.49)	34.74 (18.16)	1.48 (0.29)	3.09%	<0.001
Public transport ⁴	37.93 (22.74)	38.22 (21.51)	0.29 (0.22)	0.76%	0.184	38.48 (23.19)	40.00 (22.18)	1.52 (0.27)	3.95%	<0.001
Residential density ⁵	8.30 (3.50)	8.80 (3.73)	0.50 (0.03)	6.02%	<0.001	8.30 (3.40)	8.76 (3.65)	0.46 (0.04)	5.54%	<0.001
Vegetation ⁶	15.44 (7.07)	16.08 (7.01)	0.64 (0.08)	4.14%	<0.001	14.85 (6.54)	14.74 (5.80)	-0.11 (0.11)	-0.74%	0.356

T1 = 2016-17; T2 = 2016-20; T3= 2020-22

Bold p values are statistically significant

¹% roads that are not main roads

² count of 3-way or greater intersections/km²

³ count of cul-de-sacs

⁴ count of public transport stops

⁵ count of residential dwellings per hectare

⁶ % of service area

Table 3: Change in built environment attributes for movers at T2 and T3

Built environment measure	T1 n=174	T2 n=174	T1-T2			T1 n=225	T3 n=225	T1-T3		
	Mean (SD)	Mean (SD)	Difference (SE)	Percentage Difference	p	Mean (SD)	Mean (SD)	Difference (SE)	Percentage Difference	p
500m service area										
Low road traffic exposure ¹	75.55 (17.20)	76.74 (19.53)	1.19 (1.94)	1.58%	0.541	74.75 (18.79)	76.31 (18.49)	1.55 (1.48)	2.07%	0.294
Intersection density ²	78.37 (39.04)	80.60 (44.40)	2.23 (3.57)	2.84%	0.534	78.86 (37.29)	78.41 (39.91)	-0.44 (2.89)	-0.56%	0.878
One-way nodes ³	2.72 (2.41)	2.75 (2.59)	0.03 (0.26)	1.10%	0.911	2.76 (2.41)	2.64 (2.39)	-0.11 (0.22)	-3.98%	0.594
Public transport ⁴	4.06 (3.81)	3.49 (3.68)	-0.57 (0.36)	-14.04%	0.117	4.18 (3.93)	3.53 (2.96)	-0.65 (0.29)	-15.55%	0.027
Residential density ⁵	10.17 (5.12)	9.23 (4.65)	-0.94 (0.48)	-9.24%	0.049	10.17 (5.09)	9.27 (4.62)	-0.90 (0.39)	-8.85%	0.024
Vegetation ⁶	14.39 (7.48)	15.29 (9.32)	0.90 (0.78)	6.25%	0.251	13.78 (6.82)	14.53 (7.58)	0.75 (0.59)	5.44%	0.211
1600m service area										
Low road traffic exposure ¹	69.30 (10.75)	69.27 (12.40)	-0.03 (1.06)	-0.04%	0.979	69.41 (11.30)	68.86 (11.39)	-0.55 (0.87)	-0.79%	0.527
Intersection density ²	67.16 (22.70)	69.23 (26.43)	2.07 (2.10)	3.08%	0.326	69.30 (24.53)	66.77 (25.73)	-2.50 (1.84)	-3.61%	0.175
One-way nodes ³	34.09 (18.25)	35.62 (21.08)	1.53 (1.87)	4.49%	0.414	34.74 (17.71)	33.82 (19.71)	-0.90 (1.63)	-2.59%	0.580
Public transport ⁴	40.44 (23.63)	36.53 (23.03)	-3.91 (2.08)	-9.67%	0.061	39.92 (21.83)	37.68 (20.30)	-2.22 (1.46)	-5.56%	0.130
Residential density ⁵	8.68 (3.66)	8.11 (3.67)	-0.58 (0.33)	-6.68%	0.084	8.80 (3.61)	8.20 (3.68)	-0.60 (0.26)	-6.82%	0.021
Vegetation ⁶	15.21 (6.72)	16.60 (8.24)	1.39 (0.68)	9.14%	0.040	14.68 (5.83)	15.11 (6.07)	0.44 (0.43)	3.00%	0.312

T1 = 2016-17; T2 = 2016-20; T3= 2020-22

Bold p values are statistically significant

¹% roads that are not main roads

² count of 3-way or greater intersections/km²

³ count of cul-de-sacs

⁴ count of public transport stops

⁵ count of residential dwellings per hectare

⁶ % of service area

Built environment variation by neighbourhood SES at T1

Variation in the built environment between neighbourhoods of different SES at T1 is presented in Table 4. There were statistically significant differences in all built environment attributes between the reference quintile 5 (least disadvantaged SES) and at least one other SES quintile.

For all built environment variables, the lowest SES quintile (quintile 1 – most disadvantaged) had the greatest exposure to road traffic, lowest intersection density, most public transport stops and highest residential density compared to the other quintiles. Overall, quintile 5 (least disadvantaged) had the greatest amount of vegetation, with quintiles 1 and 4 having significantly less vegetation at both the 500m and 1600m service areas.

Table 4: Built environment attributes by neighbourhood SES at timepoint 1

	QUINTILE 1 (most disadvantaged SES) n= 98	QUINTILE 2 n= 266	QUINTILE 3 n= 316	QUINTILE 4 n= 338	QUINTILE 5 (least disadvantaged SES) n= 516	
	Mean (SD)	Mean (SD)	Mean (SD)	Mean (SD)	Mean (SD)	p
500m service area						
Low road traffic exposure ¹	72.93 (18.09)	77.02 (18.79)	75.37 (17.50)	79.81 (20.10)*	75.06 (16.77)	0.002
Intersection density ²	66.25 (23.44)*	69.40 (25.30)*	78.41 (40.40)	90.03 (44.98)*	77.16 (32.70)	<0.001
One-way nodes ³	2.35 (2.02)	3.34 (2.58)*	2.62 (2.34)	2.41 (2.43)	2.71 (2.46)	<0.001
Public transport ⁴	4.22 (3.19)	3.09 (2.95)*	4.02 (3.62)	3.59 (3.75)	3.76 (3.26)	0.003
Residential density ⁵	10.39 (4.30)	8.53 (2.84)*	9.78 (3.98)	8.23 (4.17)*	9.30 (3.88)	<0.001
Vegetation ⁶	13.66 (5.08)*	14.25 (6.71)	14.00 (7.78)*	10.96 (7.27)*	15.67 (8.19)	<0.001
1600m service area						
Low road traffic exposure ¹	66.91 (9.97)	68.63 (10.63)	68.68 (9.32)	71.66 (14.05)*	68.02 (9.96)	<0.001
Intersection density ²	57.91 (15.93)*	61.06 (16.83)*	66.41 (27.51)	73.49 (29.31)	70.92 (22.08)	<0.001
One-way nodes ³	32.00 (4.21)	39.19 (18.92)	33.72 (18.87)	28.30 (14.84)*	35.77 (17.71)	<0.001
Public transport ⁴	44.43 (21.57)*	32.65 (16.85)*	41.89 (26.25)	35.16 (26.38)	37.85 (19.02)	<0.001
Residential density ⁵	9.18 (4.21)	7.33 (2.10)*	8.33 (3.44)	8.23 (4.17)	8.35 (3.09)	<0.001
Vegetation ⁶	14.68 (4.36)*	15.31 (4.81)	15.20 (6.73)	13.52 (6.24)*	16.18 (7.16)	<0.001

Quintiles are allocated by the Australian Bureau of Statistics using postcode-level SEIFA Index of Relative Socio-economic Disadvantage scores.

P values show an overall difference between quintiles. Bold p values are statistically different. The asterisk indicates if there is a statistically significant difference to Quintile 5 (reference value).

¹% roads that are not main roads

² count of 3-way or greater intersections/km²

³ count of cul-de-sacs

⁴ count of public transport stops

⁵ count of residential dwellings per hectare

⁶% of service area

DISCUSSION

This study examined the variation in the neighbourhood built environment over timepoints and across neighbourhood socio-economic status of PLAYCE study participants in Perth, Western Australia. For children who did not move house between timepoints there were very small but significant increases in residential density, intersection density, public transport stops, and vegetation. For movers, there were significant decreases in public transport stops at 500m between timepoints 1 and 3 and residential density at both 500m and 1600m service areas. Interestingly half of movers relocated to within 5km of their previous home and into a similar built environment.

While statistically significant differences in the built environment over time were identified for children who did and did not move house, the changes were modest and did not represent practically important differences. For example, an increase of one or two intersections in a 1600m service area would not realistically have an impact on the walkability of the neighbourhood and the physical activity behaviours of its residents. Due to the lack of change in spatial built environment variables over time, these measures only need to be created at one timepoint for longitudinal research, thereby saving considerable research resources.

It is important to identify differences in the socio-economic status of neighbourhood built environments as it may, in part, explain the negative relationship between children's physical activity levels and socio-economically disadvantaged neighbourhoods (Love et al., 2019). Once stratified by neighbourhood socio-economic status, significant differences in participants' neighbourhood built environment attributes were identified. The most socio-economically disadvantaged neighbourhood quintile had greater exposure to traffic, lower intersection density, more public transport stops, and higher residential density, reflecting that these neighbourhoods are in older areas with large block sizes and established public transport routes. Future studies should consider stratifying by neighbourhood SES, rather than controlling for it, to better understand the complex relationship between the built environment and young children's physical activity.

In addition to neighbourhood socio-economic status, other factors may be at play when determining the role of the built environment on young children's physical activity. Parental concerns about safety and poor environmental aesthetics may inhibit young children's physical activity through reduced play opportunities outside of the home (Nathan et al., 2023, Tappe et al., 2013). Moreover, lower income areas may already experience higher crime and poorly maintained neighbourhood facilities (Lovasi et al.,

2009) which may further negatively influence parent perceptions of the built environment. A Western Australian study found that the longitudinal relationship between the built environment and recreational walking in adults was mediated by perceptions of attractiveness and safety of the neighbourhood (Christian et al., 2017), highlighting the importance of including perceived as well as objective measures of the built environment in longitudinal studies of the relationship between the built environment and physical activity in early childhood.

Several practical issues arose over the course of this study in acquiring consistent spatial data layers to create comparable built environment measures over timepoints. Generally, data collected by government authorities is not specifically for the purpose of research which limits its accessibility and useability (Hirsch et al., 2016; Geary et al., 2023). It is critical for researchers to build partnerships with data providers to ensure access to consistent data for longitudinal research and stronger evidence of the causal influence of the built environment on children's physical activity and other health outcomes. Despite the time-intensive nature of collecting and analysing built environment measures, this study provides insight into the way neighbourhoods change over time and allows further investigation into assessing the role of the built environment on young children's physical activity.

Strengths and limitations

This study characterised the neighbourhood environment during early childhood which is an understudied population group in built environment and health research. Strengths of this study include temporally matching data layers derived from different years to the PLAYCE cohort study survey timepoints (2015-18 timepoint 1; 2018-21 timepoint 2; 2022-23 timepoint 3). In addition, built environment variables were calculated in the same way at each timepoint to enable change in the built environment to be captured accurately. However, given the built environment data layers were provided by external organisations (e.g. Western Australian Land Information Authority; Main Roads Western Australia), it is possible they may have not been created the same way for each year which would have contributed to measurement error and thus influenced the study findings.

A limitation of the study is that the findings can only be generalised to other low-density cities. Other built environment variables relevant to young children, such as land use mix and number of playgrounds, were not included as data layers matched to each of the three timepoints of the PLAYCE cohort were not available. However, the built environment attributes chosen for this study were identified as more amenable to change, were relevant to young children who rely on their parents to

move around the neighbourhood and were based on existing cross-sectional evidence of the built environment correlates of older children's physical activity.

CONCLUSION

This study characterised the built environment of young children in the PLAYCE cohort study over three timepoints from 2015-2023. Interestingly, there more statistically significant differences between timepoints in neighbourhood built environment attributes for children who stayed in the same residence compared to children who moved house, however the actual differences were not practically important. The most socio-economically disadvantaged neighbourhood quintile had greater exposure to traffic, lower intersection density, more public transport stops, and higher residential density compared to less disadvantaged quintiles.

REFERENCES

- Australian Bureau of Statistics. (2021). *Socio-economic Indexes for Areas (SEIFA), Australia*. Australian Bureau Statistics. <https://www.abs.gov.au/statistics/people/people-and-communities/socio-economic-indexes-areas-seifa-australia>
- Astell-Burt, T., Feng, X., Mavoa, S. Badland, H.M. & Giles-Corti, B. (2014). Do low-income neighbourhoods have the least green space? A cross-sectional study of Australia's most populous cities. *BMC Public Health*, 14, 292. <https://doi.org/10.1186/1471-2458-14-292>
- Bell, M.F., Turrell, G., Beesley, B., Boruff, B., Trapp, G., Zubrick, S.R., & Christian, H.E. (2020). Children's neighbourhood physical environment and early development: an individual child level linked data study. *Journal of Epidemiology and Community Health*, 74(4), 321-329. <https://doi.org/10.1136/jech-2019-212686>
- Buck, C., Eiben, G., Lauria, F., Konstabel, K., Page, A., Ahrens, W., & Pigeot, I. (2019). Urban moveability and physical activity in children: longitudinal results from the IDEFICS and I.Family cohort. *The International Journal of Behavioral Nutrition and Physical Activity*, 16(1), 128. <https://doi.org/10.1186/s12966-019-0886-2>
- Carson, V., Lee, E.Y., Hewitt, L. *et al.* (2017). Systematic review of the relationships between physical activity and health indicators in the early years (0-4 years). *BMC Public Health*, 17 (Suppl 5), 854. <https://doi.org/10.1186/s12889-017-4860-0>
- Christian, H.E., Bull, F.C., Middleton, N.J., Knuiiman, M.W., Divitini, M.L., Hooper, P., Amarasinghe, A. & Giles-Corti, B. (2011). How important is the land use mix measure in understanding walking behaviour? Results from the RESIDE study. *International Journal of Behavioral Nutrition and Physical Activity*, 8(1), 55. <https://doi.org/10.1186/1479-5868-8-55>
- Christian, H., Maitland, C., Enkel, S., Trapp, G., Trost, S. G., Schipperijn, J., Boruff, B., Lester, L., Rosenberg, M., & Zubrick, S.R. (2016). Influence of the day care, home and neighbourhood environment on young children's physical activity and health: protocol for the PLAYCE observational study. *BMJ Open*, 6(12), Article e014058–e014058. <https://doi.org/10.1136/bmjopen-2016-014058>
- Christian, H., Knuiiman, M., Divitini, M., Foster, S., Hooper, P., Boruff, B., Bull, F. & Giles-Corti, B. (2017). A longitudinal analysis of the influence of the neighborhood environment on recreational walking within the neighborhood: results from RESIDE. *Environmental Health Perspectives*, 125(7), 077009. <https://doi.org/10.1289/EHP823>
- Christian, H., Ball, S. J., Zubrick, S. R., Brinkman, S., Turrell, G., Boruff, B., & Foster, S. (2017). Relationship between the neighbourhood built environment and early child development. *Health & Place*, 48, 90–101. <https://doi.org/10.1016/j.healthplace.2017.08.010>
- Christian, H.E., Lester, L., Al Marzooqi, M.K., Trost, S.G., & Papageorgiou, A. (2021). The association between preschooler physical activity duration and intensity and social emotional development: Findings from the PLAYCE Study. *Journal of Physical Activity & Health*, 18(7), 844–850. <https://doi.org/10.1123/jpah.2020-0588>

Clary, C., Lewis, D., Limb, E., Nightingale, C.M., Ram, B., Page, A.S., Cooper, A.R., Ellaway, A., Giles-Corti, B., Whincup, P.H., Rudnicka, A.R., Cook, D.G., Owen, C.G., & Cummins, S. (2020). Longitudinal impact of changes in the residential built environment on physical activity: findings from the ENABLE London cohort study. *The International Journal of Behavioral Nutrition and Physical Activity*, 17(1), 96–96. <https://doi.org/10.1186/s12966-020-01003-9>

Daniels, K.M., Schinasi, L.H., Auchincloss, A.H., Forrest, C.B., & Diez Roux, AV. (2021). The built and social neighborhood environment and child obesity: A systematic review of longitudinal studies. *Preventive Medicine*, 153, 106790–106790. <https://doi.org/10.1016/j.ypmed.2021.106790>

Duncan, J. M. A., & Boruff, B. (2023). Monitoring spatial patterns of urban vegetation: A comparison of contemporary high-resolution datasets. *Landscape and Urban Planning*, 233, 104671-. <https://doi.org/10.1016/j.landurbplan.2022.104671>

Foster, S., Wood, L., Christian, H., Knuiman, M. & Giles-Corti, B. (2013). Planning safer suburbs: Do changes in the built environment influence residents' perceptions of crime risk? *Social Science & Medicine*, 97, 87-94. <https://doi.org/10.1016/j.socscimed.2013.08.010>

Geary, R.S., Thompson, D., Mizen, A., Akbari, A., Garrett, J.K., Rowney, F.M., Watkins, A., Lyons, R.A., Stratton, G., Lovell, R., Nieuwenhuijsen, M., Parker, S.C., Song, J., Tsimpida, D., White, J., White, M.P., Williams, S., Wheeler, B.W., Fry, R., & Rodgers, S. E. (2023). Ambient greenness, access to local green spaces, and subsequent mental health: a 10-year longitudinal dynamic panel study of 2·3 million adults in Wales. *The Lancet. Planetary Health*, 7(10), e809–e818. [https://doi.org/10.1016/S2542-5196\(23\)00212-7](https://doi.org/10.1016/S2542-5196(23)00212-7)

Giles-Corti, B., Saghapour, T., Turrell, G., Gunn, L., Both, A., Lowe, M., Rozek, J., Roberts, R., Hooper, P., Butt, A., & Higgs, C. (2022). Spatial and socioeconomic inequities in liveability in Australia's 21 largest cities: Does city size matter? *Health & Place*, 78, 102899–102899. <https://doi.org/10.1016/j.healthplace.2022.102899>

Hirsch, J.A., Grengs, J., Schulz, A., Adar, S.D., Rodriguez, D.A., Brines, S.J., & Diez Roux, A.V. (2016). How much are built environments changing, and where?: Patterns of change by neighborhood sociodemographic characteristics across seven U.S. metropolitan areas. *Social Science & Medicine*, 169, 97–105. <https://doi.org/10.1016/j.socscimed.2016.09.032>

Jia, P., Zou, Y., Wu, Z., Zhang, D., Wu, T., Smith, M. & Xiao, Q. (2021). Street connectivity, physical activity, and childhood obesity: a systematic review and meta-analysis. *Obesity Reviews*, 22 (Suppl. 1), Article e12943. <https://doi.org/10.1111/obr.12943>.

Jones, R.A., Hinkley, T., Okely, A.D., & Salmon, J. (2013). Tracking physical activity and sedentary behavior: A systematic review. *American Journal of Preventive Medicine*, 44(6), 651–658. <https://doi.org/10.1016/j.amepre.2013.03.001>

Knuiman M.W., Christian, H.E., Divitini, M.L., Foster, S.A., Bull, F.C., Badland, H.M., & Giles-Corti B. (2014). A longitudinal analysis of the influence of the neighborhood built environment on walking for transportation: the RESIDE Study. *American Journal of Epidemiology*, 180(5), 453–461. <https://doi.org/10.1093/aje/kwu171>

Leng, S., Sun, R., Yang, X. & Chen, L. (2023). Global inequities in population exposure to urban greenspaces increased amidst tree and nontree vegetation cover expansion. *Communications, Earth and Environment*, 4, 464. <https://doi.org/10.1038/s43247-023-01141-5>

Love, R., Adams, J., Atkin, A., & van Sluijs E. (2019). Socioeconomic and ethnic differences in children's vigorous intensity physical activity: a cross-sectional analysis of the UK Millennium Cohort Study. *BMJ Open*, 9, Article e027627. <https://doi.org/10.1136/bmjopen-2018-027627>

Malina, R. (1996). Tracking of physical activity and physical fitness across the lifespan. *Research Quarterly for Exercise and Sport*, 67(3), S48–S57. <https://doi.org/10.1080/02701367.1996.10608853>

Nathan, A., Schipperijn, J., Robinson, T., George, P., Boruff, B., Trost, S. G., & Christian, H. (2023). The moderating role of parent perceptions in relationships between objectively measured neighbourhood environment attributes and pre-schooler's physical activity: Findings from the PLAYCE study. *Health & Place*, 81, 103030–103030. <https://doi.org/10.1016/j.healthplace.2023.103030>

Nearmap. (2021). Nearmap AI. <https://docs.nearmap.com/display/ND/NEARMAP+AI>.

Pedrick-Case, R., Bailey, R., Beck, B., Beesley, B., Boruff, B., Brophy, S., et al. (2022). Built Environments and Child Health in WalEs and AuStralia (BEACHES): a study protocol. *BMJ Open*. 12(10): e061978. <https://doi.org/10.1136/bmjopen-2022-061978>

Schulz, A. & Northridge, M.E. (2004). Social determinants of health: implications for environmental health promotion. *Health Education & Behavior*, 31(4), 455-471. <https://doi.org/10.1177/1090198104265598>

Tappe, K. A., Glanz, K., Sallis, J. F., Zhou, C., & Saelens, B. E. (2013). Children's physical activity and parents' perception of the neighborhood environment: neighborhood impact on kids study. *The International Journal of Behavioral Nutrition and Physical Activity*, 10(1), 39–39. <https://doi.org/10.1186/1479-5868-10-39>

Villanueva, K., Pereira, G., Knuiman, M., Bull, F., Wood, L., Christian, H., Foster, S., Boruff, B. J., Beesley, B., Hickey, S., Joyce, S., Nathan, A., Saarloos, D., & Giles-Corti, B. (2013). The impact of the built environment on health across the life course: design of a cross-sectional data linkage study. *BMJ Open*, 3(1), e002482-. <https://doi.org/10.1136/bmjopen-2012-002482>